

The background image shows a vast, multi-story atrium. The walls are composed of a grid of glass blocks, and the space is supported by numerous white, cylindrical columns. The lighting is bright and even, highlighting the architectural details.

WECK®

Glassteine
Glass Blocks
Briques de Verre
Vetromattoni
Blocos de Vidro
Bloques de Vidrio



WECK®


Design-Line...

Dreams in Glass Blocks

WECK® Glass Blocks are made from two separate sections of pressed glass which are sealed together at high temperatures. This process gives the blocks excellent thermal and noise insulation characteristics. WECK® Glass Blocks offer the additional benefit of security due to their elevated resistance to pressure. Privacy is of no concern as WECK's wide assortment of designs meet the most demanding tastes. Because of these qualities WECK® Glass Blocks can be used in innumerable applications. Aesthetically, walls made with WECK® Glass Blocks are brilliant and clean as they open up rooms with a sensation of spaciousness.


In this catalogue WECK® illustrates its entire line of designs, colors, sizes, and specialty blocks. The first section treats WECK's wide assortment of metric blocks, while the latter section is dedicated to WECK's "Imperial" and Designer Blocks.

Glass Block windows and walls are building elements that bear no load. They must be separated from the adjoining masonry by expansion joints. For more information concerning WECK® Glass Blocks, accessories, and installation instructions, please consult your local distributor.



Glassteine**WOLKE / NUBIO**

- 1111 / 8 - 115x115x 80 mm
- 1919 / 8 - 190x190x 80 mm*
- 2411 / 8 - 240x115x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 1919 / 10 - 190x190x100mm
- 3030 / 10 - 300x300x100mm


**BLENDARM / SPRAY**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm

**KG**

kreuzgerippt
crossribbed
étroite bandes croisées
incrociato a righe
bastões cruzados finos
bastones cruzados finos

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 1919 / 10 - 190x190x100mm

**METALLIK**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm

**BKG**

breit kreuzgerippt
broad crossribbed
larges bandes croisées
incrociato a righe larghe
bastões cruzados grossos
bastones cruzados gruesos

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 1919 / 10 - 190x190x100mm
- 3030 / 10 - 300x300x100mm


**PERLMUTT**

- 1919 / 8 - 190x190x 80 mm

**PG**

parallelgerippt
parallel ribbed
étroite bandes parallèles
parallelo a righe
bastões paralelos finos
bastones paralelos finos

- 1919 / 8 - 190x190x 80 mm
- 2411 / 8 - 240x115x 80 mm
- 2424 / 8 - 240x240x 80mm
- 1919 / 10 - 190x190x100mm


**KLARSICHT / CLARITY**

- 1111 / 8 - 115x115x 80 mm
- 1919 / 8 - 190x190x 80 mm*
- 2411 / 8 - 240x115x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 1919 / 10 - 190x190x100mm
- 3030 / 10 - 300x300x100mm

**BPG**

breit parallelgerippt
broad parallel ribbed
larges bandes parallèles
parallelo a righe larghe
bastões paralelos grossos
bastones paralelos gruesos

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 1919 / 10 - 190x190x100mm

**ARCTIC**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 3030 / 10 - 300x300x100mm

Glass Blocks**REGENT**


- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm
- 3030 / 10 - 300x300x100mm

**PERLWUNDER**


- 1919 / 8 - 190x190x 80 mm

**AKTIS**

- 1919 / 8 - 190x190x 80 mm

**WELLE**

- 1919 / 8 - 190x190x 80 mm

**HELIOS**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm

**NOBLESS**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm

**METEOR**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80mm

**INKA**

- 1919 / 8 - 190x190x 80 mm
- 2424 / 8 - 240x240x 80 mm

**PERLMOSAIK / PEARL**

- 1919 / 8 - 190x190x 80 mm

**MAYA**

- 2424 / 8 - 240x240x 80 mm



WOLKE / NUBIO

blau - blue - bleu - blu - azul
●1919 / 8 - 190x190x 80 mm
○2424 / 8 - 240x240x 80 mm



ARCTIC

blau - blue - bleu - blu - azul
●1919 / 8 - 190x190x 80 mm



WOLKE / NUBIO

türkis - turquoise - turchese -
turquesa
●1919 / 8 - 190x190x 80 mm
○2424 / 8 - 240x240x 80 mm



ARCTIC

türkis - turquoise - turchese -
turquesa
●1919 / 8 - 190x190x 80 mm



WOLKE / NUBIO

grün - green - vert - verde
●1919 / 8 - 190x190x 80 mm
○2424 / 8 - 240x240x 80 mm



ARCTIC

grün - green - vert - verde
●1919 / 8 - 190x190x 80 mm



NUBIO / WOLKE

rosé - pink - rose - rosa
●1919 / 8 - 190x190x 80 mm
○2424 / 8 - 240x240x 80 mm



ARCTIC

rosé - pink - rose - rosa
●1919 / 8 - 190x190x 80 mm



WOLKE / NUBIO

grau - gray - gris - grigio -
cinza - gris
●1919 / 8 - 190x190x 80 mm
○2424 / 8 - 240x240x 80 mm



ARCTIC


grau - gray - gris - grigio -
cinza - gris
●1919 / 8 - 190x190x 80 mm



WELLE

●blau - blue - bleu - blu - azul
1919 / 8 - 190x190x 80 mm

o Auf Anfrage - consult availability - consultez disponibilité -
consultare la disponibilită -
consultar disponibilidad - consultar disponibilidad




P-NOP-FKG

Hohlbetonglasstein mit Noppen (einseitig)
Hollow Paver Block with nobs (on one side)
Pavé Double Paroi
Mattone pedonabile doppio (ruvido esternamente)
Pisável Duplo
Pisable Doble
1919 / 10 -190x190x100 mm



P-NOP-FKG

Betonglas mit Noppen
Paver Block with nobs
Pavés Simple Paroi
Mattone pedonabile semplice (ruvido esternamente)
Pisável Simples
Pisables Sencillos
1919 / 5 -190x190x50 mm



P-NOP-ARCTIC

Hohlbetonglasstein mit Noppen (einseitig)
Hollow Paver Block with nobs (on one side)
Pavé Double Paroi
Mattone pedonabile doppio (ruvido esternamente)
Pisável Duplo
Pisable Doble
1919 / 10 -190x190x100 mm



P-NOP-ARCTIC

1515 / 5 - 145x145x50 mm
1919 / 5 - 190x190x50 mm



CORNER-WOLKE / NUBIO (90°)

Esquinairo (90°)
Esquinero (90°)
19 / 8 -190x80 mm ◉



CORNER-KLARSICHT / CLARITY (90°)

19 / 8 -190x80 mm ◉



ALLBEND-WOLKE / NUBIO (22,5°)

19 / 8 -190x80 mm ◉



ALLBEND-KLARSICHT / CLARITY (22,5°)

19 / 8 -190x80 mm ◉



WECKEND-WOLKE / NUBIO

1919 / 8 -190x190x80 mm ◉




WECKEND-KLARSICHT / CLARITY

19 / 8 -190x80 mm ◉

WECK® Security Block 1919 / 10 SHS

The glass faces of this glass block are substantially thicker (2 x 23 mm) than normal glass blocks. Firearms tests in Europe showed this blocks to be bullet resistant. An excellent choice to deter vandalism or breakins. The security block has a hollow low pressure center which gives it good insulating qualities.



SHS-KLARSICHT / CLARITY*
1919 / 10 -190x190x100 mm



SHS-FKG*
1919 / 10 -190x190x100 mm



SHS-WOLKE / NUBIO*
1919 / 10 -190x190x100 mm



SHS-ARCTIC*
1919 / 10 -190x190x100 mm

Briques de Verre



WOLKE / NUBIO

goldton - goldtone - bronze -
dorato - tons de ouro -
tonos de oro

- 1919 / 8 - 190x190x80 mm
- 2411 / 8 - 240x115x80 mm
- 2424 / 8 - 240x240x80 mm



WELLE

goldton - goldtone - bronze -
dorato - tons de ouro -
tonos de oro

- 1919 / 8 - 190x190x80 mm



HELIOS

goldton - goldtone - bronze -
dorato - tons de ouro -
tonos de oro

- 1919 / 8 - 190x190x80 mm
- 2424 / 8 - 240x240x80 mm



NOBLESS

goldton - goldtone - bronze -
dorato - tons de ouro -
tonos de oro

- 1919 / 8 - 190x190x80 mm
- 2424 / 8 - 240x240x80 mm



METEOR

goldton - goldtone - bronze -
dorato - tons de ouro -
tonos de oro

- 1919 / 8 - 190x190x80 mm
- 2424 / 8 - 240x240x80 mm




INKA

goldton - goldtone - bronze -
dorato - tons de ouro -
tonos de oro

- 1919 / 8 - 190x190x80 mm
- 2424 / 8 - 240x240x80 mm

Typ - Type - Tipo	Abmessungen in mm Dimensions in mm Dimensions in mm Misure in mm Dimensões em mm Dimensiones en mm	Stück / m ² Pieces / m ² Pièces / m ² Pezzi / m ² Peças / m ² Piezas / m ²
1111 / 8	115x115x80	64
1919 / 8	190x190x80	25
2411 / 8	240x115x80	32
2424 / 8	240x240x80	16
1919 / 10	190x190x100	25
3030 / 10	300x300x100	9
1919 / 10 SHS*	190x190x100	25
1515 / 5 P NOP	145x145x50	36
1919 / 5 P NOP	190x190x50	25
1919 / 10 P NOP	190x190x100	25
19 / 8 CORNER (90°)	190x80	—
19 / 8 ALLBEND (22,5°)	190x80	—
19 / 8 WECKEND	190x190x80	—

- Feuerwiderstandsklasse G 60/G 120 gemäß DIN 4102, Teil 4. Die mit einem * gekennzeichneten Glassteine sind auf Anfrage auch in der Feuerwiderstandsklasse G 120 (Verglasungsfläche 9 m²) - F 30 (Verglasungsfläche 4,4 m²) lieferbar.
- Fire resistance class G 60/G 120 according to DIN 4102, part 4. Glass Blocks marked with * may also be available in the fire resistance class G 120 (max. opening 9 m²) - F 30 (max. opening 4,4 m²). Please consult your supplier in advance.
- Résistance au feu G 60/G 120 en conformité de DIN 4102, partie 4. Les Briques de Verre marquées avec * en conformité de G 120 (résistance au feu surface max. 9 m²) - F 30 (résistance au feu surface max. 4,4 m²) peuvent être disponibles. Consultez préalablement avec leur distributeur.
- La resistenza al fuoco G 60/G 120 conforme a DIN 4102, parte 4. I vetromattoni marcati con un * sono su richiesta disponibili anche con la prova G 120 per la resistenza al fuoco (superficie massima 9 m²) - F 30 per la resistenza al fuoco (superficie massima 4,4 m²).
- Resistência ao fogo G 60/G 120 en conforme norma DIN 4102, parte 4. Os blocos marcados com * estão em conformidade com a prova G 120 de resistência ao fogo (superfície máxima 9 m²) - F 30 de resistência ao fogo (superfície máxima 4,4 m²) poderão estar disponíveis. Consulte previamente o seu distribuidor.
- Resistencia al fuego G 60/G 120 conforme con DIN 4102, parte 4. Los Bloques de Vidrio marcados con * en conformidad con la prueba G 120 de resistencia al fuego (superficie máxima 9 m²) - F 30 de resistencia al fuego (superficie máxima 4,4 m²) podrán estar disponibles. Consulte previamente con su distribuidor.



WECK®

**Glassteine
Glass Blocks
Briques de Verre
Vetromattoni
Blocos de Vidro
Bloques de Vidrio**